

Index

- potential pitfalls, 326–328
 - inconsistent subobject initialization, 326–328
 - loss of insulation, 326
- safety of, 6
- union interactions, 320–321
- use cases, 322–325
 - boilerplate repetition, avoiding, 323–325
 - documentation of default values, 325
 - nonstatic data member** initialization, 322–323
 - simple **struct** initialization, 322
- memcpy. *See* std::memcpy
- memory allocation, 75n4, 181–183
 - in C++11, 763n25
 - monotonic, 190–193, 1021–1022
 - secure buffers, 460–462
- memory barriers, 80n7
- memory diffusion, 628, 788
- memory leak, 74
- memory models, synchronization paradigms for, 998
- memory_order_acquire, 1005n2
- memory_order_consume, 1005n2
- memory-fence instructions, 999–1000
- metafunctions, 469, 963
 - forwarding references, 381
 - requirements in constraints, 398–400
 - std::remove_cvref<T>, 399n6
- metaparameters, 948
- metaprogramming, 876, 963–964
- metaprograms, 257
- Meyers, Scott, 3
- Meyers singleton, 71–75
- microbenchmarks, 1137–1141
- mixed-mode builds, 1073
- mix-ins, reusable functionality through, 545
- mocking, 1017–1020
- mocks, 1017–1020
- modifiable *rvalues*, 820–821
- modules, 85n3, 1041
- monotonic allocators, 1021–1022
- monotonic memory allocation, 190–193
- Moore’s law, 93n5
- most vexing parse, avoiding, 237–238
- move assignable, 524
- move assignment, 750, 756
- move construction, 750
- move constructors
 - literal types and, 281
 - noexcept** operator and, 653–654
 - rvalue references, 710, 714, 732–733
 - RVO and NRVO requirements, 804–805
 - std::list, 1114
 - as trivial, 437
 - user-provided, 760
- move operations
 - avoiding, 183n14
 - deleted functions, 53
 - destructive move, lack of, 811–812
 - enabling with std::forward<T>, 395
 - noexcept** operator, 627–631, 658–659
 - on noncopyable types, 788–791
 - nonthrowing, 1094–1097
 - objects into closure, 988–989
 - as optimization of copying, 741–767
 - rvalue references, 710, 714–715
 - some equivalent to copies, 788
 - throwing in, 787
 - wrappers for **noexcept**, 1099–1101
- move semantics
 - necessity of, 821–823
 - rvalue references, 710, 715–716
- move-assignment operator
 - rvalue references, 710, 714, 733
 - user-provided, 760–761
- moved-from objects
 - inconsistent expectations, 794–803
 - overly strict requirements, 807–811
 - rvalue references, 714–715, 788, 807–812
- moved-from state, 789, 791–803
- move-only types, 570, 641, 644
 - implementing without std::unique_ptr, 791–794
 - rvalue references, 716, 768–771, 790
- moving iterators, return types of, 1211–1212
- MSVC
 - auto** redeclaration, 1209
 - compiler warnings, 150
 - deduced parameters, 972n1
 - incompatibly specified alignment, 177
 - reducing code size, 1104n16, 1111
 - stack unwinding, 621n4
 - standardized compiler-specific attributes, 14
 - trivial copy/move constructors, 528n62
 - underspecifying alignment, 176
- multiple arguments
 - constraining, 983–984
 - passing to explicit constructors, 250–252
- multiple parameters, handling, 386–388
- multiple **return** statements, 1185–1187
- multithreaded programs, avoiding false sharing, 174–175
- multithreading context, 68, 70–71
- mutable closures, 969–970
- mutable state, providing for closure, 989–990
- myRandom function, 19